

Wählen Sie ein Ranking

- Vollständiges Ranking
- Relational DBMS
- Key-Value Stores
- Document Stores
- Time Series DBMS
- Graph DBMS
- Suchmaschinen
- Object oriented DBMS
- RDF Stores
- Wide Column Stores
- Multivalue DBMS
- Native XML DBMS
- Spatial DBMS
- Event Stores
- Content Stores
- Navigational DBMS

Auswertungen

- Ranking pro Datenbankmodell
- Open Source vs. Kommerziell

Featured Products



Build cloud-native apps fast with Astra, the open-source, multi-cloud stack for modern data apps.

[Get started with 80GB free.](#)



Vertica Accelerator. The fastest analytics and machine learning, delivered as SaaS, with automated setup, administration, and management. [Free trial.](#)



SkySQL, the ultimate MariaDB cloud, is here.

[Get started with SkySQL today!](#)



See for yourself how a graph database can make your life easier.

[Use Neo4j online for free.](#)



The world's most loved real-time data platform.

[Try free](#)

[Präsentieren Sie hier Ihr Produkt](#)

Ranking > Vollständiges Ranking

[RSS](#) [RSS Feed](#)

DB-Engines Ranking

Das DB-Engines Ranking ist eine Rangliste der Popularität von Datenbankmanagementsystemen. Die Rangliste wird monatlich aktualisiert.

Lesen Sie mehr über die [Berechnungsmethode](#) der Bewertungen.



398 Systeme im Ranking, Juni 2022

Rang			DBMS	Datenbankmodell	Punkte		
Jun 2022	Mai 2022	Jun 2021			Jun 2022	Mai 2022	Jun 2021
1.	1.	1.	Oracle	Relational, Multi-Model	1287,74	+24,92	+16,80
2.	2.	2.	MySQL	Relational, Multi-Model	1189,21	-12,89	-38,65
3.	3.	3.	Microsoft SQL Server	Relational, Multi-Model	933,83	-7,37	-57,25
4.	4.	4.	PostgreSQL	Relational, Multi-Model	620,84	+5,55	+52,32
5.	5.	5.	MongoDB	Document, Multi-Model	480,73	+2,49	-7,49
6.	6.	7.	Redis	Key-value, Multi-Model	175,31	-3,71	+10,06
7.	7.	6.	IBM Db2	Relational, Multi-Model	159,19	-1,14	-7,85
8.	8.	8.	Elasticsearch	Suchmaschine, Multi-Model	156,00	-1,70	+1,29
9.	9.	10.	Microsoft Access	Relational	141,82	-1,62	+26,88
10.	10.	9.	SQLite	Relational	135,44	+0,70	+4,90
11.	11.	11.	Cassandra	Wide column	115,45	-2,56	+1,34
12.	12.	12.	MariaDB	Relational, Multi-Model	111,58	+0,45	+14,79
13.	14.	26.	Snowflake	Relational	96,42	+2,91	+61,67
14.	13.	13.	Splunk	Suchmaschine	95,56	-0,79	+5,30
15.	15.	15.	Microsoft Azure SQL Database	Relational, Multi-Model	86,01	+0,68	+11,22
16.	16.	16.	Amazon DynamoDB	Multi-Model	83,88	-0,58	+10,12
17.	17.	14.	Hive	Relational	81,58	-0,03	+1,89
18.	18.	17.	Teradata	Relational, Multi-Model	70,41	+2,02	+1,07
19.	19.	18.	Neo4j	Graph	59,53	-0,61	+3,78
20.	20.	20.	Solr	Suchmaschine, Multi-Model	56,61	-0,64	+4,52
21.	21.	19.	SAP HANA	Relational, Multi-Model	54,53	-0,56	+0,42
22.	22.	21.	FileMaker	Relational	51,58	-0,69	+2,45
23.	23.	24.	Google BigQuery	Relational	49,07	+0,46	+9,44
24.	24.		Databricks	Multi-Model	48,12	+0,27	
25.	25.	22.	SAP Adaptive Server	Relational, Multi-Model	46,67	-1,11	-2,32
26.	26.	23.	HBase	Wide column	42,07	-1,12	-1,45
27.	27.	25.	Microsoft Azure Cosmos DB	Multi-Model	40,98	+0,77	+4,51
28.	28.	27.	PostGIS	Spatial DBMS, Multi-Model	31,68	-0,14	+0,91
29.	29.	29.	InfluxDB	Time Series, Multi-Model	29,86	+0,30	+1,22
30.	30.	28.	Couchbase	Document, Multi-Model	28,89	+0,51	-0,18
31.	31.	32.	Amazon Redshift	Relational	26,19	+0,26	+2,55
32.	32.	31.	Firebird	Relational	24,77	-0,95	+0,48
33.	33.	30.	Memcached	Key-value	24,56	-0,39	-0,62
34.	34.	33.	Informix	Relational, Multi-Model	23,62	+0,25	+0,58
35.	35.	34.	Spark SQL	Relational	23,12	+0,26	+2,28
36.	36.	40.	Microsoft Azure Synapse Analytics	Relational	21,33	+0,67	+6,46
37.	37.	36.	Netezza	Relational	19,48	+0,10	+0,24
38.	38.	35.	Vertica	Relational, Multi-Model	19,04	-0,25	-1,63
39.	39.	38.	Firebase Realtime Database	Document	18,48	-0,45	+1,35
40.	40.	37.	Impala	Relational, Multi-Model	17,79	-0,24	-0,59
41.	41.	39.	CouchDB	Document, Multi-Model	17,16	+0,20	+1,04
42.	42.	41.	dBASE	Relational	14,38	+0,05	-0,05
43.	44.	42.	Greenplum	Relational, Multi-Model	13,27	-0,09	+0,34
44.	45.	44.	Amazon Aurora	Relational, Multi-Model	13,14	+0,69	+2,52
45.	46.	49.	ClickHouse	Relational, Multi-Model	12,83	+0,51	+3,57
46.	43.	43.	Presto	Relational	12,78	-0,71	+0,29
47.	47.	45.	etcd	Key-value	10,81	-0,07	+0,59
48.	48.	48.	Hazelcast	Key-value, Multi-Model	10,38	+0,30	+1,00
49.	49.	46.	Realm	Document	10,11	+0,22	+0,43
50.	50.	47.	MarkLogic	Multi-Model	10,00	+0,15	+0,63
51.	51.	50.	H2	Relational, Multi-Model	9,90	+0,07	+0,95
52.	52.	57.	Google Cloud Firestore	Document	9,25	-0,07	+1,83
53.	54.	51.	Kdb+	Time Series, Multi-Model	9,12	+0,13	+0,80
54.	55.	53.	Oracle Essbase	Relational	8,83	-0,03	+0,87
55.	53.	54.	Datastax Enterprise	Wide column, Multi-Model	8,55	-0,74	+0,79
56.	56.	55.	Algolia	Suchmaschine	8,27	+0,19	+0,61
57.	57.	58.	CockroachDB	Relational	7,69	-0,16	+1,01
58.	59.	59.	Microsoft Azure Search	Suchmaschine	7,61	+0,07	+1,06
59.	58.	70.	Microsoft Azure Data Explorer	Relational, Multi-Model	7,34	-0,20	+2,39

AEROSPIKE

**Real-time
Data
Platform**

Act at scale,
all the time,
reducing
server
footprint

Try now

60.	↑ 68.	OpenSearch	Suchmaschine	7,26	+1,13	
61.	↑ 63. ↓ 52.	Sphinx	Suchmaschine	7,23	+0,51	-0,88
62.	↓ 60. ↑ 71.	Ignite	Multi-Model	7,09	+0,01	+2,16
63.	↓ 61. ↑ 68.	SingleStore	Relational, Multi-Model	6,66	-0,38	+1,39
64.	↑ 66. ↓ 56.	Ehcache	Key-value	6,54	+0,06	-0,95
65.	↓ 64. ↑ 66.	Riak KV	Key-value	6,52	-0,11	+1,12
66.	↑ 70. ↓ 62.	Aerospike	Key-value, Multi-Model	6,52	+0,42	+0,74
67.	67. ↓ 61.	Prometheus	Time Series	6,32	+0,19	+0,40
68.	↑ 62. ↓ 60.	Interbase	Relational	6,30	-0,44	-0,06
69.	↑ 71. ↑ 86.	Virtuoso	Multi-Model	6,17	+0,16	+2,48
70.	↓ 65. ↓ 65.	Jackrabbit	Content	5,92	-0,70	+0,50
71.	↑ 74. ↑ 77.	Google Cloud Datastore	Document	5,89	+0,40	+1,20
72.	↓ 69. ↓ 67.	Ingres	Relational	5,84	-0,26	+0,50
73.	↑ 77. ↑ 75.	Microsoft Azure Table Storage	Wide column	5,76	+0,41	+1,01
74.	↑ 72. ↓ 64.	SAP SQL Anywhere	Relational	5,57	-0,04	-0,04
75.	↓ 73. ↓ 72.	ArangoDB	Multi-Model	5,50	-0,05	+0,58
76.	76. ↓ 74.	HyperSQL	Relational	5,46	+0,10	+0,62
77.	↓ 75. ↑ 78.	Graphite	Time Series	5,35	-0,10	+0,71
78.	78. ↓ 69.	Derby	Relational	4,97	-0,20	-0,14
79.	↑ 81. ↓ 73.	Adabas	Multivalue	4,89	+0,11	-0,01
80.	↓ 79. 80.	OrientDB	Multi-Model	4,86	-0,27	+0,41
81.	↑ 82. 81.	Oracle NoSQL	Multi-Model	4,84	+0,09	+0,53
82.	↓ 80. ↓ 79.	SAP IQ	Relational	4,65	-0,17	+0,01
83.	83. ↑ 93.	TimescaleDB	Time Series, Multi-Model	4,56	-0,14	+1,32
84.	84. 84.	UniData,UniVerse	Multivalue	4,53	+0,04	+0,65
85.	85. ↓ 63.	OpenEdge	Relational	4,48	+0,04	-1,27
86.	86. ↑ 88.	Google Cloud Bigtable	Multi-Model	4,44	+0,19	+0,86
87.	↑ 88. ↓ 82.	Accumulo	Wide column	4,09	+0,12	+0,16
88.	↑ 89. ↓ 87.	RocksDB	Key-value	3,94	+0,03	+0,35
89.	↓ 87. ↓ 76.	MaxDB	Relational	3,83	-0,23	-0,91
90.	↑ 92. ↑ 99.	Google Cloud Spanner	Relational	3,73	+0,05	+0,88
91.	91. ↓ 85.	SAP Advantage Database Server	Relational	3,66	-0,03	-0,11
92.	↓ 90. ↑ 102.	ScyllaDB	Multi-Model	3,64	-0,10	+0,93
93.	↑ 94. ↓ 90.	RavenDB	Document, Multi-Model	3,47	-0,01	-0,03
94.	↓ 93. ↑ 107.	TiDB	Relational, Multi-Model	3,29	-0,25	+0,80
95.	95. ↓ 91.	IBM Cloudant	Document	3,26	-0,21	-0,10
96.	↑ 100. ↑ 137.	Trino	Relational	3,22	+0,14	+1,68
97.	↓ 96. 97.	Infinispan	Key-value	3,15	-0,19	+0,20
98.	↑ 112. ↑ 167.	YugabyteDB	Relational, Multi-Model	3,11	+0,43	+2,02
99.	↓ 98. ↑ 104.	PouchDB	Document	3,10	+0,00	+0,41
100.	↑ 104. ↓ 92.	InterSystems Caché	Multi-Model	3,09	+0,09	-0,15
101.	↓ 99. ↓ 89.	RethinkDB	Document, Multi-Model	3,06	-0,03	-0,45
102.	↓ 101. ↓ 101.	LevelDB	Key-value	2,97	-0,09	+0,17
103.	↓ 97. ↓ 83.	EXASOL	Relational	2,97	-0,30	-0,92
104.	↑ 105. ↓ 100.	Apache Druid	Multi-Model	2,94	-0,06	+0,13
105.	↓ 102. ↓ 96.	Apache Jena - TDB	RDF	2,89	-0,12	-0,07
106.	↑ 107. ↑ 111.	4D	Relational	2,83	-0,06	+0,43
107.	↑ 108. ↑ 115.	Amazon Neptune	Multi-Model	2,82	+0,01	+0,62
108.	↓ 103. ↓ 94.	Apache Phoenix	Relational	2,81	-0,20	-0,27
109.	↓ 106. ↓ 105.	Apache Drill	Multi-Model	2,77	-0,12	+0,10
110.	110. ↓ 98.	IMS	Navigational	2,72	+0,01	-0,14
111.	↓ 109. ↓ 95.	Oracle Berkeley DB	Multi-Model	2,62	-0,14	-0,45
112.	↓ 111. ↑ 113.	GraphDB	Multi-Model	2,61	-0,08	+0,30
113.	↑ 116. ↓ 112.	Percona Server for MySQL	Relational	2,59	+0,10	+0,21
114.	↓ 113. ↓ 106.	Oracle Coherence	Key-value	2,56	-0,05	+0,06
115.	↓ 114. ↓ 110.	CloudKit	Document	2,56	-0,03	+0,16
116.	↓ 115. ↓ 103.	RRDtool	Time Series	2,43	-0,07	-0,26
117.	↑ 118. ↓ 108.	JanusGraph	Graph	2,40	-0,03	-0,09
118.	↓ 117. ↓ 109.	LMDB	Key-value	2,32	-0,11	-0,09
119.	↑ 120. ↓ 116.	Amazon CloudSearch	Suchmaschine	2,21	-0,03	+0,06
120.	↓ 119. ↑ 134.	InterSystems IRIS	Multi-Model	2,17	-0,07	+0,48
121.	↑ 122.	Coveo	Suchmaschine	2,12	-0,06	
122.	↑ 123. ↓ 114.	Amazon SimpleDB	Key-value	2,10	-0,01	-0,15
123.	↑ 124. ↓ 118.	EDB Postgres	Relational, Multi-Model	2,10	+0,03	+0,14
124.	↓ 121. ↓ 123.	TigerGraph	Graph	2,02	-0,22	+0,14
125.	↑ 126. ↓ 117.	Tibero	Relational	1,98	+0,03	-0,10
126.	↓ 125. ↓ 124.	GridGain	Multi-Model	1,92	-0,14	+0,08
127.	127. ↓ 122.	SpatialLite	Spatial DBMS, Multi-Model	1,91	+0,02	+0,02
128.	↑ 132. ↑ 163.	Amazon DocumentDB	Document	1,87	+0,07	+0,72
129.	↑ 130. ↓ 125.	OpenTSDB	Time Series	1,86	+0,02	+0,02
130.	↓ 129. ↓ 127.	IBM Db2 warehouse	Relational	1,83	-0,03	+0,03
131.	131. ↓ 120.	MonetDB	Relational, Multi-Model	1,80	-0,01	-0,15
132.	↓ 128. ↓ 129.	Stardog	Multi-Model	1,75	-0,13	+0,02
133.	↑ 135. ↑ 143.	Citus	Relational, Multi-Model	1,74	-0,03	+0,31
134.	↑ 136. ↓ 130.	mSQL	Relational	1,74	+0,01	+0,02
135.	↑ 138. ↓ 119.	Datomic	Relational	1,73	+0,03	-0,23
136.	↓ 133. ↓ 126.	jBASE	Multivalue	1,71	-0,08	-0,11
137.	↓ 134. ↓ 136.	Geode	Key-value	1,70	-0,07	+0,07

138.	↓	137.	↓	121.	TimesTen	Relational	1,69	-0,03	-0,26
139.	↑	140.	↑	179.	DolphinDB	Time Series, Multi-Model	1,65	0,00	+0,68
140.	↑	141.	↓	133.	Db4o	Object oriented	1,64	+0,02	-0,04
141.	↑	142.	↓	132.	VoltDB	Relational	1,57	-0,03	-0,12
142.	↑	146.	↑	151.	FoundationDB	Multi-Model	1,48	+0,04	+0,21
143.	↓	139.	↓	128.	BaseX	Native XML	1,46	-0,20	-0,34
144.	↑	145.	↓	144.	Actian NoSQL Database	Object oriented	1,45	0,00	+0,04
145.	↓	143.	↓	131.	Dgraph	Graph	1,38	-0,16	-0,32
146.	↑	150.	↓	139.	ObjectStore	Object oriented	1,38	+0,02	-0,12
147.	↑	151.	↓	138.	Tarantool	Key-value, Multi-Model	1,36	+0,01	-0,16
148.	↓	147.	↓	135.	Fauna	Multi-Model	1,33	-0,04	-0,34
149.	↑	152.	↓	146.	GT.M	Key-value	1,33	-0,02	-0,08
150.	↑	153.	↓	147.	HEAVY.AI	Relational, Multi-Model	1,33	+0,03	-0,08
151.	↑	154.	↑	160.	Apache Kylin	Relational	1,31	+0,03	+0,12
152.	↓	144.	↑	141.	Mnesia	Document	1,30	-0,16	-0,16
153.	↑	155.	↑	161.	D3	Multivalue	1,30	+0,03	+0,10
154.	↑	159.	↑	162.	GridDB	Time Series, Multi-Model	1,28	+0,05	+0,13
155.	↑	161.	↑	233.	QuestDB	Time Series, Multi-Model	1,24	+0,05	+0,69
156.	↑	157.	↓	148.	SQLBase	Relational	1,23	-0,01	-0,16
157.	↑	158.	↑	159.	Giraph	Graph	1,22	-0,02	+0,02
158.	↑	164.	↑	166.	Sedna	Native XML	1,21	+0,04	+0,12
159.	↓	148.	↓	152.	LiteDB	Document	1,21	-0,15	-0,05
160.	↓	156.	↓	145.	Datameer	Document	1,20	-0,07	-0,22
161.	↑	162.	↓	156.	Oracle Rdb	Relational	1,18	0,00	-0,04
162.	↓	149.	↓	154.	HFSQL	Relational	1,15	-0,20	-0,09
163.	↑	163.	↓	142.	1010data	Relational	1,14	-0,04	-0,31
164.	↑	167.	↓	153.	Model 204	Multivalue	1,13	-0,01	-0,11
165.	↑	165.	↑	174.	GBase	Relational	1,12	-0,04	+0,11
166.	↑	168.	↓	158.	DataEase	Relational	1,11	-0,01	-0,09
167.	↓	166.	↓	150.	AllegroGraph	Multi-Model	1,11	-0,04	-0,23
168.	↑	169.	↑	170.	Nebula Graph	Graph	1,11	+0,01	+0,06
169.	↑	170.	↓	169.	SQL.JS	Relational	1,10	+0,02	+0,05
170.	↑	171.	↓	165.	NonStop SQL	Relational	1,10	+0,02	0,00
171.	↑	174.	↓	140.	Empress	Relational	1,08	+0,07	-0,41
172.	↑	172.	↑	175.	Apache HAWQ	Relational	1,07	+0,01	+0,08
173.	↓	160.	↓	149.	Cubrid	Relational	1,02	-0,17	-0,34
174.	↑	176.	↑	217.	Amazon Timestream	Time Series	1,02	+0,05	+0,39
175.	↓	173.	↓	155.	Infobright	Relational	1,01	-0,01	-0,22
176.	↑	178.	↑	194.	CrateDB	Multi-Model	1,00	+0,03	+0,20
177.	↑	177.	↑	188.	ObjectBox	Object oriented, Multi-Model	0,98	+0,01	+0,14
178.	↑	179.	↓	164.	NuoDB	Relational	0,96	0,00	-0,16
179.	↑	183.	↓	183.	TDengine	Time Series, Multi-Model	0,96	+0,05	0,00
180.	↓	175.	↑	224.	GigaSpaces	Multi-Model	0,95	-0,03	+0,36
181.	↓	180.	↓	157.	Altibase	Relational	0,93	-0,02	-0,28
182.	↑	182.	↑	185.	eXist-db	Native XML	0,93	+0,02	+0,04
183.	↑	188.	↓	188.	MatrixOne	Relational	0,91	+0,02	0,00
184.	↑	187.	↓	177.	ZODB	Key-value	0,89	0,00	-0,09
185.	↑	185.	↓	185.	OceanBase	Relational, Multi-Model	0,88	0,00	0,00
186.	↓	181.	↑	189.	EventStoreDB	Event	0,88	-0,03	+0,05
187.	↓	184.	↑	205.	Graph Engine	Multi-Model	0,88	-0,03	+0,14
188.	↓	186.	↓	171.	IDMS	Navigational	0,87	-0,03	-0,16
189.	↓	185.	↑	190.	Blazegraph	Multi-Model	0,87	-0,04	+0,05
190.	↓	189.	↓	182.	HPE Ezmeral Data Fabric	Multi-Model	0,87	0,00	-0,03
191.	↓	190.	↓	176.	FrontBase	Relational	0,81	-0,03	-0,18
192.	↑	196.	↓	172.	NCache	Key-value, Multi-Model	0,81	+0,02	-0,22
193.	↑	203.	↓	181.	Objectivity/DB	Object oriented	0,80	+0,04	-0,13
194.	↑	195.	↓	173.	Actian Vector	Relational	0,80	+0,00	-0,22
195.	↓	193.	↑	212.	Splice Machine	Relational	0,79	-0,01	+0,13
196.	↑	197.	↓	180.	Datacom/DB	Relational	0,78	0,00	-0,17
197.	↓	191.	↓	193.	Perst	Object oriented	0,78	-0,04	-0,02
198.	↓	192.	↓	187.	GemStone/S	Object oriented	0,78	-0,03	-0,10
199.	↓	200.	↑	200.	BigchainDB	Document	0,77	+0,00	0,00
200.	↓	194.	↓	178.	Kognitio	Relational	0,77	-0,03	-0,21
201.	↑	202.	↓	184.	solidDB	Relational	0,76	0,00	-0,13
202.	↓	198.	↓	183.	Xapian	Suchmaschine	0,76	-0,02	-0,13
203.	↓	199.	↑	213.	GeoMesa	Spatial DBMS	0,75	-0,02	+0,09
204.	↑	207.	↓	201.	Yellowbrick	Relational	0,75	+0,05	-0,02
205.	↑	205.	↓	199.	OpenBase	Relational	0,74	+0,02	-0,04
206.	↓	204.	↑	221.	RDF4J	RDF	0,74	+0,01	+0,15
207.	↓	201.	↓	168.	Matisse	Object oriented	0,71	-0,05	-0,35
208.	↓	206.	↑	232.	Postgres-XL	Relational, Multi-Model	0,71	+0,01	+0,16
209.	↑	210.	↓	192.	TypeDB	Multi-Model	0,71	+0,03	-0,10
210.	↑	215.	↓	210.	Percona Server for MongoDB	Document	0,69	+0,05	+0,01
211.	↑	217.	↓	217.	openGauss	Relational, Multi-Model	0,69	+0,06	0,00
212.	↓	208.	↓	202.	R:BASE	Relational	0,69	+0,00	-0,07
213.	↑	213.	↓	186.	DBISAM	Relational	0,65	0,00	-0,23
214.	↑	214.	↓	198.	KairosDB	Time Series	0,65	+0,00	-0,13
215.	↓	209.	↓	203.	eXtremeDB	Multi-Model	0,64	-0,04	-0,10

216.	📈 224.	📉 207.	WebSphere eXtreme Scale	Key-value	0,64	+0,06	-0,09
217.	📉 211.	📉 195.	Alibaba Cloud MaxCompute	Relational	0,64	-0,02	-0,16
218.	📉 212.	📉 204.	Kinetica 📈	Relational	0,64	-0,02	-0,10
219.	📈 216.	📉 206.	SciDB	Multivalue	0,63	-0,01	-0,10
220.	📉 219.	📉 191.	Alibaba Cloud AnalyticDB for MySQL 📈	Relational, Multi-Model ⓘ	0,59	-0,02	-0,22
221.	📈 225.	📉 208.	ObjectDB	Object oriented	0,59	+0,01	-0,13
222.	📉 220.	📈 238.	Northgate Reality	Multivalue	0,59	-0,02	+0,11
223.	📈 226.	📈 225.	Jade	Object oriented	0,59	+0,01	-0,01
224.	📉 221.	📉 209.	SQream DB 📈	Relational	0,58	-0,01	-0,12
225.	📈 231.	📈 245.	Amazon Keyspaces	Wide column	0,58	+0,03	+0,14
226.	📈 228.	226.	LokiJS	Document	0,57	0,00	-0,02
227.	📉 222.		Meilisearch	Suchmaschine	0,56	-0,02	
228.	📉 223.	📈 241.	VictoriaMetrics 📈	Time Series	0,56	-0,02	+0,09
229.	229.	📉 211.	VistaDB	Relational	0,56	-0,01	-0,11
230.	📉 218.		Dolt	Relational, Multi-Model ⓘ	0,56	-0,07	
231.	📈 232.	📉 229.	BoltDB	Key-value	0,55	+0,00	-0,02
232.	📉 230.	📉 216.	AlaSQL	Multi-Model ⓘ	0,55	0,00	-0,09
233.	📉 227.	📉 214.	NexusDB	Relational	0,54	-0,03	-0,12
234.	234.	📉 230.	MapDB	Key-value	0,53	0,00	-0,04
235.	📈 240.		Yandex Database (YDB)	Multi-Model ⓘ	0,53	+0,03	
236.	236.	📈 248.	4store	RDF	0,53	+0,00	+0,10
237.	📉 233.	📉 227.	Rockset	Document, Multi-Model ⓘ	0,51	-0,03	-0,06
238.	📈 239.		TDSQL for MySQL 📈	Relational, Multi-Model ⓘ	0,51	-0,01	
239.	📉 235.	📉 196.	ScaleArc	Relational	0,51	-0,02	-0,29
240.	📉 237.	📉 215.	Alibaba Cloud ApsaraDB for PolarDB 📈	Relational	0,50	-0,02	-0,16
241.	📈 244.	📈 255.	Tajo	Relational	0,49	+0,02	+0,12
242.	📈 247.	📉 240.	Starcounter	Object oriented	0,49	+0,03	+0,02
243.	📉 241.	📉 220.	Raima Database Manager 📈	Multi-Model ⓘ	0,48	-0,02	-0,11
244.	📉 242.	📈 263.	IBM Db2 Event Store	Multi-Model ⓘ	0,47	-0,02	+0,13
245.	📉 243.	📉 219.	Tokyo Tyrant	Key-value	0,46	-0,02	-0,14
246.	📈 248.	246.	Hibari	Key-value	0,46	0,00	+0,02
247.	📉 238.	📉 197.	HarperDB 📈	Document	0,46	-0,06	-0,33
248.	📉 245.	📉 228.	OpenInsight	Multivalue	0,46	-0,01	-0,12
249.	📉 246.	📉 239.	Alibaba Cloud Log Service 📈	Suchmaschine	0,46	-0,01	-0,02
250.	📉 249.	📉 234.	Rasdaman	Multivalue	0,45	+0,00	-0,06
251.	📈 261.	📈 273.	Memgraph 📈	Graph	0,44	+0,07	+0,18
252.	📉 250.	📉 218.	Alibaba Cloud AnalyticDB for PostgreSQL	Relational	0,44	-0,01	-0,19
253.	📉 251.	📉 231.	Redland	RDF	0,44	+0,00	-0,13
254.	📉 252.	📉 236.	Trafodion	Relational	0,43	+0,01	-0,08
255.	📉 253.	📈 298.	Apache IoTDB 📈	Time Series	0,43	+0,01	+0,27
256.	📉 255.	📉 253.	Project Voldemort	Key-value	0,42	+0,01	+0,05
257.	📉 254.	📉 222.	Scalaris	Key-value	0,42	+0,00	-0,17
258.	📈 263.	📈 288.	M3DB 📈	Time Series	0,41	+0,05	+0,21
259.	📉 257.	📉 237.	InfiniteGraph	Graph	0,40	-0,01	-0,11
260.	📉 256.	📉 244.	Sequoiadb	Multi-Model ⓘ	0,39	-0,02	-0,05
261.	📉 258.	📉 251.	Alibaba Cloud Table Store	Wide column	0,38	-0,01	-0,01
262.	262.	📉 223.	Elassandra	Wide column, Multi-Model ⓘ	0,37	+0,01	-0,23
263.	📈 265.	📉 249.	atoti	Object oriented	0,36	+0,01	-0,05
264.	📉 260.		Kingbase 📈	Relational, Multi-Model ⓘ	0,36	-0,01	
265.	📉 264.	📉 243.	ModeShape	Content	0,35	+0,00	-0,11
266.	📈 268.	📉 254.	Tibco ComputeDB	Relational	0,34	+0,01	-0,03
267.	📉 259.	📈 285.	Milvus 📈	Suchmaschine	0,34	-0,03	+0,13
268.	📈 270.	268.	KeyDB	Key-value	0,34	+0,01	+0,05
269.	📉 267.	📈 286.	DuckDB	Relational	0,31	-0,02	+0,11
270.	📈 272.	📉 252.	SearchBlox	Suchmaschine	0,31	+0,01	-0,07
271.	📉 269.	📉 242.	Brytlyt	Relational	0,31	-0,02	-0,16
272.	📉 266.	📉 247.	Faircom DB 📈	Multi-Model ⓘ	0,30	-0,04	-0,14
273.	📈 279.		Apache Doris	Relational	0,27	+0,02	
274.	📉 271.		Apache Pinot	Relational	0,27	-0,03	
275.			FeatureBase	Relational	0,27		
276.	📉 275.	📈 280.	TransLattice	Relational	0,27	+0,01	+0,03
277.	📉 278.	📉 257.	Mimer SQL	Relational	0,26	+0,01	-0,10
278.	📉 273.	📉 259.	PipelineDB	Relational	0,26	-0,01	-0,09
279.	📉 274.	📉 267.	Comdb2	Relational	0,26	0,00	-0,04
280.	📈 285.	📉 277.	Heroic	Time Series	0,25	+0,03	+0,01
281.	📉 280.	📉 260.	Axibase	Time Series	0,24	-0,01	-0,11
282.	📉 276.	📉 261.	FlockDB	Graph	0,24	-0,02	-0,11
283.	📉 281.	📉 258.	Riak TS	Time Series	0,23	-0,01	-0,12
284.	284.	📉 250.	OpenQM	Multivalue	0,23	+0,00	-0,18
285.	📉 277.	📉 275.	Alibaba Cloud TSDB	Time Series	0,23	-0,03	-0,02
286.	📉 283.	📉 235.	Lovefield	Relational	0,23	-0,01	-0,29
287.	📉 282.	📉 256.	Kylogence Enterprise 📈	Relational	0,22	-0,02	-0,15
288.	📉 286.	📈 294.	HugeGraph	Graph	0,20	-0,01	+0,03
289.	📈 290.	📈 301.	Valentina Server	Relational	0,19	+0,01	+0,04
290.	📉 287.	📉 265.	Action FastObjects	Object oriented	0,19	-0,02	-0,12
291.	291.	📈 310.	Warp 10	Time Series	0,19	+0,01	+0,08
292.	📉 288.	📉 274.	EsgynDB	Relational	0,19	-0,02	-0,07
293.	📉 289.	📉 292.	TinkerGraph	Graph	0,18	-0,01	0,00

294.	📈 305.	📈 307.	Cloudflare Workers KV	Key-value	0,18	+0,06	+0,07
295.	📉 294.	📉 284.	NEvenStore	Event	0,17	+0,00	-0,04
296.	📉 293.	📉 293.	CubicWeb	RDF	0,17	+0,00	0,00
297.	📉 292.	📉 270.	LeanXcale	Multi-Model	0,17	-0,01	-0,11
298.	📉 296.	📉 269.	HyperGraphDB	Graph	0,17	+0,00	-0,12
299.	📉 295.	📈 303.	Weaviate	Suchmaschine	0,16	-0,01	+0,02
300.	📈 303.	📉 262.	Fluree	Graph	0,15	+0,02	-0,19
301.	📉 297.	📉 264.	AnzoGraph DB	Multi-Model	0,15	-0,01	-0,18
302.	📉 299.	📉 271.	GeoSpock	Relational, Multi-Model	0,15	-0,01	-0,13
303.	📉 298.	📉 272.	ElevateDB	Relational	0,15	-0,01	-0,13
304.	📈 308.	📈 317.	SmallSQL	Relational	0,13	+0,01	+0,04
305.	📉 300.		ArcadeDB	Multi-Model	0,13	-0,03	
306.	306.	📉 299.	Badger	Key-value	0,13	+0,00	-0,03
307.	📈 321.		Immudb	Key-value, Multi-Model	0,12	+0,05	
308.	📈 312.	📈 337.	ScaleOut StateServer	Key-value	0,12	+0,01	+0,08
309.	📉 302.	📉 296.	TerminusDB	Graph, Multi-Model	0,12	-0,02	-0,05
310.	📉 301.	📉 281.	Strabon	RDF	0,12	-0,02	-0,11
311.	📉 309.	📉 291.	Lintor	Relational, Multi-Model	0,12	+0,01	-0,07
312.	📈 313.	📈 345.	RedStore	RDF	0,12	+0,02	+0,09
313.	📈 307.	📉 278.	XtremeData	Relational	0,11	0,00	-0,13
314.	📈 319.	📈 324.	DensoDB	Document	0,10	+0,02	+0,03
315.	📉 311.	📉 297.	Sparksee	Graph	0,10	-0,01	-0,07
316.	📈 323.	📈 346.	SparkleDB	RDF	0,09	+0,02	+0,07
317.	📉 314.	📉 279.	EJDB	Document	0,09	-0,01	-0,15
318.	📉 315.	📉 295.	Actian PSQL	Relational	0,09	-0,01	-0,09
319.	📈 324.	📉 304.	GraphBase	Graph	0,09	+0,01	-0,05
320.	📈 322.	📈 341.	AgensGraph	Multi-Model	0,09	+0,01	+0,06
321.	📉 310.	📉 282.	Quasardb	Time Series	0,09	-0,02	-0,13
322.	📈 328.		Acebase	Document	0,09	+0,02	
323.	📈 326.	📈 342.	Manticore Search	Suchmaschine, Multi-Model	0,08	+0,01	+0,06
324.	📈 325.	📉 276.	Transbase	Relational	0,08	+0,01	-0,17
325.	📉 316.	📉 290.	Mulgara	RDF	0,08	-0,02	-0,11
326.	📉 317.	📉 266.	ITTIA	Relational	0,07	-0,02	-0,23
327.	📉 304.	📉 287.	Faircom EDGE	Multi-Model	0,07	-0,06	-0,13
328.	📉 327.		RDFox	Multi-Model	0,07	+0,00	
329.	📈 318.	📈 339.	HGraphDB	Graph	0,06	-0,03	+0,03
330.	📈 350.	📈 350.	SWC-DB	Wide column, Multi-Model	0,06	+0,05	+0,06
331.	📈 354.	📈 350.	Resin Cache	Key-value	0,06	+0,06	+0,06
332.	📉 320.		OushuDB	Relational	0,06	-0,02	
333.			Fujitsu Enterprise Postgres	Relational, Multi-Model	0,05		
334.	📈 329.	📉 315.	BigObject	Relational	0,04	-0,01	-0,04
335.	📈 354.		Qdrant	Suchmaschine	0,04	+0,04	
336.	📉 332.	📉 312.	Bangdb	Multi-Model	0,04	+0,00	-0,06
337.	📉 336.	📉 308.	VelocityDB	Multi-Model	0,04	+0,01	-0,07
338.	📉 330.	📉 325.	Kyoto Tycoon	Key-value	0,04	-0,01	-0,03
339.	📉 333.		Transwarp KunDB	Relational	0,03	+0,00	
340.	📈 337.	📉 322.	ToroDB	Document	0,03	+0,00	-0,04
341.	📉 335.	📉 283.	H2GIS	Spatial DBMS, Multi-Model	0,03	0,00	-0,18
342.	📉 339.	📉 329.	LedisDB	Key-value	0,03	+0,01	-0,02
343.	📈 354.	📉 306.	Upscaledb	Key-value	0,03	+0,03	-0,09
344.	📉 331.	📉 300.	SenseiDB	Document	0,03	-0,01	-0,13
345.	📈 342.	📉 326.	WakandaDB	Object oriented	0,03	+0,01	-0,04
346.	📉 341.	📉 313.	SwayDB	Key-value	0,02	+0,01	-0,07
347.	📉 340.	📈 349.	Hawkular Metrics	Time Series	0,02	+0,00	+0,01
348.	📉 338.	📉 319.	InfinityDB	Key-value	0,02	-0,01	-0,06
349.	📉 346.	📉 305.	Dydra	RDF	0,01	+0,00	-0,10
350.			Speedb	Key-value	0,01		
351.	📉 343.	📉 321.	JethroData	Relational	0,01	-0,01	-0,07
352.	352.	📉 350.	JasDB	Document	0,01	+0,00	+0,01
353.	📈 354.	📉 320.	SiriDB	Time Series	0,01	+0,01	-0,07
354.	📉 334.		Transwarp ArgoDB	Relational, Multi-Model	0,01	-0,02	
355.	📉 351.	📉 336.	Siaqodb	Object oriented	0,01	+0,00	-0,03
356.	📈 354.	📈 350.	Yaacomo	Relational	0,01	+0,01	+0,01
357.	📉 347.	📉 335.	NosDB	Document	0,01	0,00	-0,04
358.	📉 348.	📉 302.	Machbase	Time Series	0,01	0,00	-0,14
359.	📉 345.	📉 289.	STSdb	Key-value	0,01	-0,01	-0,19
360.	📉 354.	📉 350.	Sadas Engine	Relational	0,00	+0,00	+0,00
361.	📉 344.	📉 309.	Blueflood	Time Series	0,00	-0,01	-0,11
362.	📉 349.	📉 311.	BrightstarDB	RDF	0,00	-0,01	-0,10
363.	📉 354.	📉 330.	ActorDB	Relational	0,00	±0,00	-0,05
363.	📉 354.	📉 350.	BergDB	Key-value	0,00	±0,00	±0,00
363.	📉 354.	📉 350.	Cachelot.io	Key-value	0,00	±0,00	±0,00
363.	📉 354.	📉 348.	CortexDB	Multi-Model	0,00	±0,00	-0,01
363.	📉 354.	📉 340.	CovenantSQL	Relational	0,00	±0,00	-0,03
363.	📉 354.	📉 350.	DaggerDB	Relational	0,00	±0,00	±0,00
363.	📉 354.	📉 350.	Edge Intelligence	Relational	0,00	±0,00	±0,00
363.	📉 354.		EdgelessDB	Relational	0,00	±0,00	
363.	📉 354.	📉 316.	Elliptics	Key-value	0,00	±0,00	-0,09

363.	↓ 354.	↓ 331.	Eloquera	Object oriented	0,00	±0,00	-0,05
363.	↓ 354.	↓ 327.	Exorbyte	Suchmaschine	0,00	±0,00	-0,06
363.	↓ 354.	↓ 343.	FinchDB	Multi-Model 	0,00	±0,00	-0,03
363.	↓ 354.		Galaxybase	Graph	0,00	±0,00	
363.	↓ 354.	↓ 350.	Helium	Key-value	0,00	±0,00	±0,00
363.	↓ 354.	↓ 344.	HyperLevelDB	Key-value	0,00	±0,00	-0,03
363.	↓ 354.	↓ 350.	Hyprcubd	Time Series	0,00	±0,00	±0,00
363.	↓ 353.	↓ 334.	iBoxDB	Document	0,00	0,00	-0,04
363.	↓ 354.	↓ 350.	Indica	Suchmaschine	0,00	±0,00	±0,00
363.	↓ 354.	↓ 350.	IRONdb	Time Series	0,00	±0,00	±0,00
363.	↓ 354.	↓ 347.	JaguarDB	Key-value	0,00	±0,00	-0,01
363.	↓ 354.	↓ 350.	K-DB	Relational	0,00	±0,00	±0,00
363.	↓ 354.	↓ 350.	Newts	Time Series	0,00	±0,00	±0,00
363.	↓ 354.	↓ 350.	NSDb	Time Series	0,00	±0,00	±0,00
363.	↓ 354.	↓ 332.	OrigoDB	Multi-Model 	0,00	±0,00	-0,05
363.	↓ 354.	↓ 314.	RaptorDB	Document	0,00	±0,00	-0,09
363.	↓ 354.	↓ 350.	Rizhiyi	Suchmaschine, Multi-Model 	0,00	±0,00	±0,00
363.	↓ 354.	↓ 350.	searchxml	Multi-Model 	0,00	±0,00	±0,00
363.	↓ 354.	↓ 338.	SiteWhere	Time Series	0,00	±0,00	-0,03
363.	↓ 354.	↓ 350.	SpaceTime	Spatial DBMS, Multi-Model 	0,00	±0,00	±0,00
363.	↓ 354.	↓ 323.	TerarkDB	Key-value	0,00	±0,00	-0,08
363.	↓ 354.	↓ 350.	Tkrzw	Key-value	0,00	±0,00	±0,00
363.	↓ 354.	↓ 333.	TomP2P	Key-value	0,00	±0,00	-0,05
363.	↓ 354.		Transwarp StellarDB	Graph	0,00	±0,00	
363.	↓ 354.	↓ 318.	WhiteDB	Document	0,00	±0,00	-0,08
363.	↓ 354.	↓ 328.	XTDB	Document	0,00	±0,00	-0,06
363.	↓ 354.	↓ 350.	Yanza	Time Series	0,00	±0,00	±0,00

Upcoming Events

[» more DBMS events](#)

[PostgreSQL](#) event

[State of PostgreSQL 2022](#)

Survey, open until June 30, 2022 at 11:59pm PT
15.-30. Juni 2022

Teilen sie diese Seite mit ihrem Netzwerk



[Über uns](#) [Werbung und Services](#) [Privacy Policy](#) [Kontakt](#)

Follow DB-Engines on:  

Copyright © 2022 solid IT gmbh